

Soft reserve handle															
Container size	Marine Eye RSL - Steel Ripcord					Spectra Ripcord					Straight Pin- Steel Ripcord				
	-1	STD	+1	+2	+3	-1	STD	+1	+2	+3	-1	STD	+1	+2	+3
300	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
303	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
304	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
306	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
308	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
309	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
310	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
314	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
314-1	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
316	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
319	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
320	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
324	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
326	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
328	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
335	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
336	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
339	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
340	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
343	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
344	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
346	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
346-1	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
347	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
348	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
349	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
350	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
351	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
352	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
353	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
354	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
355	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
357	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
358	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
360-1	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
360-2	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
360-3	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
361	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
362	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
364	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
364-1	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
375	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
378	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
380	28	29	30	31	32	29	30	31	32	33	29	30	31	32	33
382	29	30	31	32	33	30	31	32	33	34	30	31	32	33	34
385															
392	28	29	30	31	32	29	30	31	32	33	29	30	31	32	33
392-2	28	29	30	31	32	29	30	31	32	33	29	30	31	32	33
396															
396-1															
396-2															
397	28	29	30	31	32	29	30	31	32	33	29	30	31	32	33
398															

Standard D-handle															
Container size	Marine Eye RSL - Steel Ripcord					Spectra Ripcord					Straight Pin- Steel Ripcord				
	-1	STD	+1	+2	+3	-1	STD	+1	+2	+3	-1	STD	+1	+2	+3
300	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
303	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
304	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
306	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
308	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
309	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
310	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
314	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
314-1	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
316	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
319	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
320	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
324	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
326	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
328	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
335	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
336	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
339	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
340	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
343	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
344	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
346	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
346-1	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
347	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
348	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
349	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
350	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
351	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
352	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
353	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
354	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
355	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
357	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
358	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
360-1	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
360-2	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
360-3	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
361	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
362	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
364	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
364-1	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
375	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
378	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
380	28	29	30	31	32	29	30	31	32	33	29	30	31	32	33
382	29	30	31	32	33	30	31	32	33	34	30	31	32	33	34
385															
392	28	29	30	31	32	29	30	31	32	33	29	30	31	32	33
392-2	28	29	30	31	32	29	30	31	32	33	29	30	31	32	33
396															
396-1															
396-2															
397	28	29	30	31	32	29	30	31	32	33	29	30	31	32	33
398															

Low Profile D-handle															
Container size	Marine Eye RSL - Steel Ripcord					Spectra Ripcord					Straight Pin- Steel Ripcord				
	-1	STD	+1	+2	+3	-1	STD	+1	+2	+3	-1	STD	+1	+2	+3
300	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
303	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
304	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
306	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
308	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
309	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
310	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
314	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
314-1	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
316	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
319	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
320	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
324	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
326	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
328	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
335	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
336	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
339	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
340	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
343	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
344	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
346	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
346-1	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
347	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
348	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
349	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
350	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
351	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
352	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
353	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
354	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
355	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
357	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
358	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
360-1	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
360-2	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
360-3	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
361	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
362	26	27	28	29	30	27	28	29	30	31	27	28	29	30	31
364	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
364-1	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
375	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
378	27	28	29	30	31	28	29	30	31	32	28	29	30	31	32
380	28	29	30	31	32	29	30	31	32	33	29	30	31	32	33
382	29	30	31	32	33	30	31	32	33	34	30	31	32	33	34
385															
392	28	29	30	31	32	29	30	31	32	33	29	30	31	32	33
392-2	28	29	30	31	32	29	30	31	32	33	29	30	31	32	33
396															
396-1															
396-2															
397	28	29	30	31	32	29	30	31	32	33	29	30	31	32	33
398															

Container size	Mini D-Handle														
	Marine Eye RSL - Steel Ripcord					Spectra Ripcord					Straight Pin- Steel Ripcord				
	-1	STD	+1	+2	+3	-1	STD	+1	+2	+3	-1	STD	+1	+2	+3
300	26	26	27	28	29	27	28	29	30	31	26	27	28	29	30
303	26	26	27	28	29	27	28	29	30	31	26	27	28	29	30
304	26	26	27	28	29	27	28	29	30	31	26	27	28	29	30
306	26	26	27	28	29	27	28	29	30	31	26	27	28	29	30
308	26	26	27	28	29	27	28	29	30	31	26	27	28	29	30
309	26	26	27	28	29	27	28	29	30	31	26	27	28	29	30
310	26	26	27	28	29	27	28	29	30	31	26	27	28	29	30
314	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
314-1	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
316	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
319	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
320	26	26	27	28	29	27	28	29	30	31	26	27	28	29	30
324	26	26	27	28	29	27	28	29	30	31	26	27	28	29	30
326	26	26	27	28	29	27	28	29	30	31	26	27	28	29	30
328	26	26	27	28	29	27	28	29	30	31	26	27	28	29	30
335	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
336	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
339	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
340	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
343	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
344	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
346	26	26	27	28	29	27	28	29	30	31	26	27	28	29	30
346-1	26	26	27	28	29	27	28	29	30	31	26	27	28	29	30
347	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
348	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
349	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
350	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
351	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
352	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
353	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
354	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
355	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
357	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
358	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
360-1	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
360-2	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
360-3	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
361	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
362	26	26	27	28	29	27	28	29	30	31	26	27	28	29	30
364	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
364-1	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
375	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
378	26	27	28	29	30	28	29	30	31	32	27	28	29	30	31
380	27	28	29	30	31	29	30	31	32	33	28	29	30	31	32
382	28	29	30	31	32	30	31	32	33	34	29	30	31	32	33
385															
392	27	28	29	30	31	29	30	31	32	33	28	29	30	31	32
392-2	27	28	29	30	31	29	30	31	32	33	28	29	30	31	32
396															
396-1															
396-2															
397	27	28	29	30	31	29	30	31	32	33	28	29	30	31	32
398															